












NOTES

1. ACTUAL LAYOUT TO BE DETERMINED IN THE FIELD.
2. A CONCRETE WASHOUT SIGN SHALL BE INSTALLED WITHIN 30' OF THE TEMPORARY CONCRETE WASHOUT FACILITY.
3. MATERIALS USED TO CONSTRUCT TEMPORARY CONCRETE WASHOUT FACILITIES SHALL BE REMOVED FROM THE SITE OF THE WORK AND DISPOSED OF OR RECYCLED.
4. HOLES, DEPRESSIONS OR OTHER GROUND DISTURBANCE CAUSED BY THE REMOVAL OF THE TEMPORARY CONCRETE WASHOUT FACILITIES SHALL BE BACKFILLED, REPAIRED, AND STABILIZED TO PREVENT EROSION.






NOTE:
THE ABOVE STAPLE PATTERN DETAILS INCLUDE STRAW AND EXCELSIOR MATS.

STAPLE PATTERN FOR EROSION CONTROL BLANKETS
SOURCE : LFUCG STORMWATER MANUAL EFFECTIVE 1-1-09



- NOTES:**
1. SILT FENCE TO BE PLACED ON SLOPE CONTOUR.
 2. INSPECT AND REPAIR FENCE AFTER EACH STORM EVENT AND REMOVE SEDIMENT WHEN NECESSARY.
 3. SILT FENCE SHALL BE HEAVY DUTY, AS INDICATED ON THE PLANS.

SILT FENCE
NOT TO SCALE



Revisions	By	Date